

No remote
MPG

ANILAM

VSA

To: Acer
David Lo

Date: 6/13/2006
Ref: A8631024

6000 Series CNC Quotation

For: EMC 3-axis EMC-2240

Item	Model / Description	Part #	Qty	Price	Total
A	6000M - 3 axis plus spindle EMC Package 12.1" TFT display / 2.1GB / 16MB / 1.44 MB Floppy <i>Contains:</i>	~	1		}
	CNC - CPU / Display				
1	6000M 3 axis CNC Control and 13KW Drives	A8632000	1		
2	Manual Panel, with MPG	34000701	1		
3	Transformer, 240V in -> 400V out	90700255	0		
	Motors				
4	AM 1160C - 7.2NM, 1.85 kW, 3000 RPM	* 34100220M	3		
5	AM 1160CB - 7.2NM, 1.85 kW, 3000 RPM	34100221M	0		
6	SM 075A - 7.5 kW, 10 HP Contin., 15 HP peak	* 34100605M	1		
	CNC Cables				
7	CNC cable for keyboard & manual panel, 20 ft.	34300120	2		
7a	cable for LCD display, 20 feet	34300020	1		
8	Floppy power, signal - 20 feet	34300220	1		
9	MPG handwheel signal - 20 feet	34300320	1		
	Motor Cables				
10	Motor encoder cable - 15 feet (Y, Z & S)	34200015	3		
10a	Motor encoder cable - 20' (X)	34200020	1		
11	Motor power cable for AM 960 or AM1160 - 15 feet (Y, Z)	34200115	2		
11a	Motor power cable for AM 960 or AM1160 - 20 feet (X)	34200120	1		
12	Spindle motor power cable - 1 feet (S)	34201301	15		
13	Spindle motor fan cable - 1 feet (S)	34201310	15		
	Options & Upgrades				
	4th Axis				
b	4th axis ready (4 axis drive package - replaces item 1)	A8642000	add		
c	4th axis motor and 25' cable set, 1.45 kW 3000 RPM for rotab)	34100210+	add		
	Axis Motor upgrades				
d	AM 1160E - 10.0NM, 2.42kW, 3000 RPM (x 3)	34100230M	add		
e	AM 1400A - 13.0NM, 2.3kW, 3000 RPM (one with BRAKE)	34100430M	2&1		
	Spindle Upgrade				
f	SM 100A - 10 kW, 15 HP Con. 20 HP peak (incl. 30 amp drive and BR18 resistor) <i>Note: SM100A requires 30A drive & BR18 resistor</i>	34100610M	add		
	Cable Lengths				
g	For each additional 5ft (i.e., 20ft ~ 25ft), covers complete cable set.	special +	add		
	Other Options				
h	I/O Expansion Module, 32 Inputs / 16 Outputs	34000552	add		
i	I/O Expansion Module, 64 Inputs / 32 Outputs	34000551	add		
j	Remote MPG and components (in place of Manual Panel MPG)	34000912+	add		
k	Offline Software	A4630001	add		
				Total Due	}

Note: some upgrades may require different drive configuration & power cables plus others - part numbers will change ~ system must be re-quoted according to actual requirements.

Note:

- All prices are quoted F.O.B. Jamestown, NY
- Terms: Net 30 days
- Delivery: 2 to 4 weeks from receipt of purchase order
- Warranty: 18 months from date of invoice

10hp

ANILAM

TW

To: Acer
David Lo

Date: 5/8/2007
Ref: A8631020

EMC
VMC-2550
VMC-3060

6000 Series CNC Quotation

For: EMC VMC 2550 & 3060

Item	Model / Description	Part #	Qty	Price	Total
A	6000M - 3 axis plus spindle EMC Package 12.1" TFT display / 2.1GB / 16MB / 1.44 MB Floppy Contains:		1		
	CNC - CPU / Display				
1	6000M 3 axis CNC Control and 13KW Drives	A8632000	1		
2	Manual Panel, with MPG	34000701	0		
2a	Taiwan Manual Panel	TW030001	1		
3	Transformer, 240V in -> 400V out	90700255	0		
	Motors				
4	AM 1160C - 7.2NM, 1.85 kW, 3000 RPM	34100220M	0		
5	AM 1160CB - 7.2NM, 1.85 kW, 3000 RPM	34100221M	0		
6	SM 075C - 7.5 kW, 10 HP Contin., 15 HP peak	34100630M	1	*	
	CNC Cables				
7	CNC cable for keyboard, 25 ft.	34300125	2		34300825?
7b	CNC cable for manual panel, 25 ft.	34300925	1		
7c	cable for LCD display, 25 feet	34300025	1		
8	Floppy power, signal - 25 feet	34300225	1		
9	MPG handwheel signal - 25 feet	34300325	1		
	Motor Cables				
10a	Motor encoder cable - 20 feet (X&S)	34200020	2		
10b	Motor encoder cable - 15 feet (Y, Z)	34200015	2		
11a	Motor power cable - 20 feet (x)	34200320	1		
11b	Motor power cable - 15 feet (y & z)	34200315	2		
11c	Spindle motor power cable - 1 feet (S)	34201305	20		
13	Spindle motor fan cable - 1 feet (S)	34201311	20		
	Options & Upgrades				
	4th Axis				
b	4th axis ready (4 axis drive package - replaces item 1)	A8642000	add		
c	4th axis motor and 25' cable set, 1.45 kW 3000 RPM for rotab)	34100210+	add		
	Axis Motor upgrades				
d	AM 1160E - 10.0NM, 2.42kW, 3000 RPM (x 3)	34100230M	add		
e	AM 1400A - 13.0NM, 2.3kW, 3000 RPM (one with BRAKE)	34100430M	add		
f	AM 1400C - 13.0NM, 2.3kW, 2000 RPM (one with BRAKE)	34100420M	2&1		
	Spindle Upgrade				
g	SM 100A - 10 kW, 15 HP Con. 20 HP peak (incl. 30 amp drive and BR18 resistor) Note: SM100A requires 30A drive & BR18 resistor	34100610M	add		
	Cable Lengths				
h	For each additional 5ft (i.e., 20ft ~ 25ft), covers complete cable set.	special +	add		
	Other Options				
i	I/O Expansion Module, 32 Inputs / 16 Outputs	34000552	add		
j	I/O Expansion Module, 64 Inputs / 32 Outputs	34000551	add		
k	Remote MPG and components (in place of Manual Panel MPG)	34000912+	add		
l	Taiwan Remote MPG	TW020001	add		
m	Taiwan Remote MPG Bracket	TW021004	add		
n	Offline Software	A4630001	add		
Total Due					

Note: some upgrades may require different drive configuration & power cables plus others - part numbers will change ~ system must be re-quoted according to actual requirements.

- Note:**
- 1 All prices are quoted F.O.B. Jamestown, NY
 - 2 Terms: Net 90 days
 - 3 Delivery: quoted upon order
 - 4 Warranty: 18 months from date of invoice

TW

To: Acer
David Lo

15hp

Date: 10/31/2005
Ref: A8631021

EMC

6000 Series CNC Quotation

For:

EMC
3580 & 35100

VMC3580
V/C-35100

Item	Model / Description	Part #	Qty	Price	Total
A	6000M - 3 axis plus spindle EMC Package 12.1" TFT display / 2.1GB / 16MB / 1.44 MB Floppy Contains:		1		
	CNC - CPU / Display				
1	6000M 3 axis CNC Control and 13KW Drives	A8632000	1		
2	Manual Panel, with MPG	34000701	0		
2a	Taiwan Manual Panel	TW030001	1		
3	Transformer, 240V in -> 400V out	90700255	0		
	Motors				
4	AM 1160C - 7.2NM, 1.85 kW, 3000 RPM	34100220M	0		
5	AM 1160CB - 7.2NM, 1.85 kW, 3000 RPM	34100221M	0		
6	SM 075C - 7.5 kW, 10 HP Contin., 15 HP peak	34100630M	0		
	CNC Cables				
7	cable for keyboard, 25 ft.	34300125	2		
7b	cable for manual panel, 25 ft.	34300925	1		
7c	cable for LCD display, 25 feet	34300025	1		
8	Floppy power, signal - 25 feet	34300225	1		
9	MPG handwheel signal - 25 feet	34300325	1		
	Motor Cables				
10a	Motor encoder cable - 25 feet (X)	34200025	1		
10b	Motor encoder cable - 15 feet (Y, Z)	34200015	2		
10c	Motor encoder cable - 20 feet (s)	34200020	1		
11a	Motor power cable - 25 feet (x)	34200325	1		
11b	Motor power cable - 15 feet (y)	34200115	1		
11c	Motor power cable - 15 feet (z)	34200315	1		
11d	Spindle motor power cable - 1 feet (S)	34201306	20		
13	Spindle motor fan cable - 1 feet (S)	34201311	20		
	Options & Upgrades				
	4th Axis				
b	4th axis ready (4 axis drive package - replaces item 1)	A8642000	add		
c	4th axis motor and 25' cable set, 1.45 kW 3000 RPM for rotab)	34100210+	add		
	Axis Motor upgrades				
d	AM 1550E - 21.6NM, 4.6kW, 3000 RPM (Y-axis, x1)	34100260M	1		
e	AM 1400CB - 13.0NM, 2.3kW, 2000 RPM (with BRAKE)	34100421M	1 *		
f	AM 1400C - 13.0NM, 2.3kW, 2000 RPM	34100420M	1		
	Spindle Upgrade				
g	SM 100A - 10 kW, 15 HP Con. 20 HP peak (incl. 30 amp drive and BR18 resistor)	34100610M	1 *		
	Note: SM100A requires 30A drive & BR18 resistor	34000450	1	included	\$ 0-
	Cable Lengths				
h	For each additional 5ft (i.e., 20ft ~ 25ft), covers complete cable set.	special +	add		
	Other Options				
i	I/O Expansion Module, 32 Inputs / 16 Outputs	34000552	add		
j	I/O Expansion Module, 64 Inputs / 32 Outputs	34000551	add		
k	Remote MPG and components (in place of Manual Panel MPG)	34000912+	add		
l	Taiwan Remote MPG	TW020001	add		
m	Taiwan Remote MPG Bracket	TW021004	add		
n	Offline Software	A4630001	add		
				Total Due	

25'

25' / 15' / 20'

Note: some upgrades may require different drive configuration & power cables plus others - part numbers will change ~ system must be re-quoted according to actual requirements.

Note:

- All prices are quoted F.O.B. Jamestown, NY
- Terms: Net 90 days
- Delivery: quoted upon order
- Warranty: 18 months from date of invoice

no remote
mpg

ANILAM USA

To: Acer
David Lo

Date: 3/17/2006
Ref: A8631031

6000 Series CNC Quotation

For: VMC 1824

3-axis

Item	Model / Description	Part #	Qty	Price	Total
A	6000M - 3 axis plus spindle EMC Package 12.1" TFT display / 2.1GB / 16MB / 1.44 MB Floppy Contains:		1		(
	CNC - CPU / Display				
1	6000M 3 axis CNC Control and 13KW Drives	A8632000	1		
2	Manual Panel, with MPG	34000701	1		
3	Transformer, 240V in -> 400V out	90700255	0		
	Motors				
4	AM 1160C - 7.2NM, 1.85 kW, 3000 RPM	34100220M	0		
5	AM 1160CB - 7.2NM, 1.85 kW, 3000 RPM	34100221M	0		
6	SM 075A - 7.5 kW, 10 HP Contin., 15 HP peak	34100605M	1	*	
	CNC Cables				
7	CNC cable for keyboard & manual panel, 20 ft.	34300120	2		
7a	cable for LCD display, 20 feet	34300020	1		
8	Floppy power, signal - 20 feet	34300220	1		
9	MPG handwheel signal - 20 feet	34300320	1		
	Motor Cables				
10a	Motor encoder cable - 15 feet (Y & Z)	34200015	2		
10b	Motor encoder cable - 20 feet (X & S)	34200020	2		
11a	Motor power cable - 15 feet (Y & Z)	34200115	2		
11b	Motor power cable - 20 feet (X)	34200120	1		
11c	Spindle motor power cable - 1 feet (S)	34201301	20		
13	Spindle motor fan cable - 1 feet (S)	34201310	20		
	Options & Upgrades				
	4th Axis				
b	4th axis ready (4 axis drive package - replaces item 1)	A8642000	add		
c	4th axis motor and 25' cable set, 1.45 kW 3000 RPM for rotab)	34100210+	add		
	Axis Motor upgrades				
d	AM 1160E - 10.0NM, 2.42kW, 3000 RPM (x 3)	34100230M	2	*	
e	AM 1400CB 13.0NM, 2.3kW, 3000 RPM (with BRAKE)	34100421M	1		
	Spindle Upgrade				
f	SM 100A - 10 kW, 15 HP Con. 20 HP peak (incl. 30 amp drive and BR18 resistor) <i>Note: SM100A requires 30A drive & BR18 resistor</i>	34100610M	add		
	Cable Lengths				
g	For each additional 5ft (i.e., 20ft ~ 25ft), covers complete cable set.	special +	add		
	Other Options				
h	I/O Expansion Module, 32 Inputs / 16 Outputs	34000552	add		
i	I/O Expansion Module, 64 Inputs / 32 Outputs	34000551	add		
j	Remote MPG and components (in place of Manual Panel MPG)	34000912+	add		
k	Offline Software	A4630001	add		
				Total Due	(

Note: some upgrades may require different drive configuration & power cables plus others - part numbers will change ~ system must be re-quoted according to actual requirements.

Note:

- 1 All prices are quoted F.O.B. Jamestown, NY
- 2 Terms: Net 30 days
- 3 Delivery: 2 to 4 weeks from receipt of purchase order
- 4 Warranty: 18 months from date of invoice

To: Acer
David Lo

No remake
MPG

Date: 6/13/2006
Ref: A8631025

6000 Series CNC Quotation

For: VMC1000, 3-axis VMC-2040L

Item	Model / Description	Part #	Qty	Price	Total
A	6000M - 3 axis plus spindle EMC Package 12.1" TFT display / 2.1GB / 16MB / 1.44 MB Floppy Contains:		1		7
	CNC - CPU / Display				
1	6000M 3 axis CNC Control and 13KW Drives	A8632000	1		
2	Manual Panel, with MPG	34000701	1		
3	Transformer, 240V in -> 400V out	90700255	1		
	Motors				
4	AM 1160C - 7.2NM, 1.85 kW, 3000 RPM	34100220M	0		
5	AM 1160CB - 7.2NM, 1.85 kW, 3000 RPM	34100221M	0		
6	SM 075A - 7.5 kW, 10 HP Contin., 15 HP peak	34100605M	1		
	CNC Cables				
7	CNC cable for keyboard & manual panel, 20 ft.	34300120	2		
7a	cable for LCD display, 20 feet	34300020	1		
8	Floppy power, signal - 20 feet	34300220	1		
9	MPG handwheel signal - 20 feet	34300320	1		
	Motor Cables				
10a	Motor encoder cable - 15 feet (Y and Z)	34200015	2		
10b	Motor encoder cable - 25 feet (X)	34200025	1		
10c	Motor encoder cable - 20 feet (S)	34200020	1		
11a	Motor power cable - 15 feet (Y and Z)	34200115	2		
11b	Motor power cable - 25 feet (X)	34200125	1		
11c	Spindle motor power cable - 1 feet (S)	34201301	20		
13	Spindle motor fan cable - 1 feet (S)	34201310	20		
	Options & Upgrades				
	4th Axis				
b	4th axis ready (4 axis drive package - replaces item 1)	A8642000	add		
c	4th axis motor and 25' cable set, 1.45 kW 3000 RPM for rotab)	34100210+	add		
	Axis Motor upgrades				
d	AM 1160E - 10.0NM, 2.42kW, 3000 RPM (x 3)	34100230M	add		
e	AM 1400A - 13.0NM, 2.3kW, 3000 RPM (one with BRAKE)	34100430M	2&1		
	Spindle Upgrade				
f	SM 100A - 10 kW, 15 HP Con. 20 HP peak (incl. 30 amp drive and BR18 resistor) <i>Note: SM100A requires 30A drive & BR18 resistor</i>	34100610M	add		
	Cable Lengths				
g	For each additional 5ft (i.e., 20ft ~ 25ft), covers complete cable set.	special +	add		
	Other Options				
h	I/O Expansion Module, 32 Inputs / 16 Outputs	34000552	add		
i	I/O Expansion Module, 64 Inputs / 32 Outputs	34000551	add		
j	Remote MPG and components (in place of Manual Panel MPG)	34000912+	add		
k	Offline Software	A4630001	add		
				Total Due	7

Note: some upgrades may require different drive configuration & power cables plus others - part numbers will change ~ system must be re-quoted according to actual requirements.

Note:

- All prices are quoted F.O.B. Jamestown, NY
- Terms: Net 30 days
- Delivery: 2 to 4 weeks from receipt of purchase order
- Warranty: 18 months from date of invoice

NO remote
MPG

ANILAM

USA

To: Acer
David Lo

Date: 6/13/2006
Ref: A8631026

6000 Series CNC Quotation

For: VMC-1100 3-axis VMC-2443

Item	Model / Description	Part #	Qty	Price	Total
A	6000M - 3 axis plus spindle EMC Package 12.1" TFT display / 2.1GB / 16MB / 1.44 MB Floppy Contains:	-	1		5
	CNC - CPU / Display				
1	6000M 3 axis CNC Control and 13KW Drives	A8632000	1		
2	Manual Panel, with MPG	34000701	1		
3	Transformer, 240V in -> 400V out	90700255	0		
	Motors				
4	AM 1160C - 7.2NM, 1.85 kW, 3000 RPM	34100220M	0		
5	AM 1160CB - 7.2NM, 1.85 kW, 3000 RPM	34100221M	0		
6	SM 075A - 7.5 kW, 10 HP Contin., 15 HP peak	34100605M	1	34100630M	
	CNC Cables				
7	CNC cable for keyboard & manual panel, 25 ft.	34300125	2		
7a	cable for LCD display, 25 feet	34300025	1		
8	Floppy power, signal - 25 feet	34300225	1		
9	MPG handwheel signal - 25 feet	34300325	1		
	Motor Cables				
10a	Motor encoder cable - 15 feet (Y & Z)	34200015	2		
10b	Motor encoder cable - 25 feet (X)	34200025	1		
10c	Motor encoder cable - 20 feet (S)	34200020	1		
11a	Motor power cable - 25 feet (X)	34200325	1		
11b	Motor power cable - 25 feet (Y)	34200215	1	34200315M	
11c	Motor power cable - 15 feet (Z)	34200315	2		
11d	Spindle motor power cable - 1 feet (S)	34201301	20	34201305	
13	Spindle motor fan cable - 1 feet (S)	34201310	20	34201311	
	Options & Upgrades				
	4th Axis				
b	4th axis ready (4 axis drive package - replaces item 1)	A8642000	add		
c	4th axis motor and 25' cable set, 1.45 kW 3000 RPM for rotab)	34100210+	add		
	Axis Motor upgrades				
d	AM 1160E - 10.0NM, 2.42kW, 3000 RPM (x 3)	34100230M	add		
e	AM 1400A - 13.0NM, 2.3kW, 3000 RPM	34100430	1		
e1	AM1400AB (with brake), x1 (Z-axis)	34100431	1		
e2	AM 1550E (21.6NM, 4.6kW, 3000 RPM), x1 (Y-axis)	34100260M	1		
e3	Larger axis drive for AM1550E	n/a	1		
	Spindle Upgrade				
f	SM 100A - 10 kW, 15 HP Con. 20 HP peak (incl. 30 amp drive and BR18 resistor) Note: SM100A requires 30A drive & BR18 resistor	34100610M	add		
	Cable Lengths				
g	For each additional 5ft (i.e., 20ft ~ 25ft), covers complete cable set.	special +	add		
	Other Options				
h	I/O Expansion Module, 32 Inputs / 16 Outputs	34000552	add		
i	I/O Expansion Module, 64 Inputs / 32 Outputs	34000551	add		
j	Remote MPG and components (in place of Manual Panel MPG)	34000912+	add		
k	Offline Software	A4630001	add		
Total Due					6

Note: some upgrades may require different drive configuration & power cables plus others - part numbers will change - system must be re-quoted according to actual requirements.

Note:

- All prices are quoted F.O.B. Jamestown, NY
- Terms: Net 30 days
- Delivery: 2 to 4 weeks from receipt of purchase order
- Warranty: 18 months from date of invoice